
Substance Use in CPCI

Identification, Prevention, and Management Support Tools

June 5, 2019



CONFIDENTIAL

This file contains information that is confidential to Azara Healthcare, LLC
Do not view, copy, distribute, or disclose without prior consent.



Why Are We Here?

- Increase knowledge base about CPCI data tools
- Promote a deeper understanding of CPCI functionality
- Think through data-driven options which promote care team efficiency

Agenda


- 1** Background
- 2** Challenges
- 3** Understand the Population
- 4** Patient Management
- 5** Performance and Reporting
- 6** Questions

CHCANYS Centers with Substance Use Module




Acacia Network	Mosaic Health
Betances Health Center	Neighborhood Health Center Buffalo
Callen-Lorde	NOCHSI
Cerebral Palsy of North Country	North Country Family Health Center
Cornerstone Family Healthcare	Settlement Health
East Hill Family Medical, Inc	The Chautauqua Center
Family Health Network	Trillium Health
Finger Lakes Health	UPC-Southern Tier Community Health Center
Health Care Choices	Urban Health Plan

Registry Use



Measure Usage in SUD

SUD Measures
YTD May 2019



Questions

- How long have you had a MAT program?
 - <6 months
 - 6-11 months
 - 1-2 yrs
 - >2 yrs

- How many patients are in your MAT program?
 - <20
 - 21-50
 - 51-99
 - >100

- How many waived providers do you have?
 - <5
 - 6-10
 - >10

- What would help you to use the substance use tools in CPCI?
 - Additional data validation
 - Resources
 - More prescription data
 - Training
 - Better workflows

”


One of the greatest resources people cannot mobilize themselves is that they try to accomplish great things. Most worthwhile achievements are the result of many little things done in a single direction.

– *Nido Qubein*

Controlled Substance Management Module



Early identification of patients at risk for alcohol and substance misuse



Tracking and Management of High Risk Populations



Monitoring High Risk Medication Use



Assess the impact of education and changes to workflow on number of patients with active opioids or in treatment

Who Benefits from this Module

- Primary Care and Behavioral Health Providers
- Care Managers
- Care Coordinators
- Community Health Workers
- Behavioral Health Workers
- LCSWs
- Patients

CPCI Can Help You to Be Successful!

- Identify patients for whom you are prescribing medication assisted therapy (MAT)
- Support both primary and behavioral health with specialized tools
- Manage the clinical and behavioral health care for patients in MAT program
 - Urine drug Screen
 - Infectious disease screening (HIV, HepC)
 - Mental health Screenings – Depression, anxiety
 - Behavioral Health Appointments
 - Impact of SDOH
- Monitor patients at risk and prevention
 - General Screening Rates – SBIRT, drug, alcohol, depression
 - Benzo / Opioid
 - Chronic Opioid Therapy
 - Chronic Pain
- Manage your Program Initiation and engagement rates
 - Retention
- Report/comply with audit requests for external stakeholders
 - Monitor provider prescribing of MAT
 - Bureau of Narcotics
 - Department of Health

Resources in DRVS

■ Reports

- Controlled Substance Report

■ Measures

- Drug Use Screen
- Unhealthy Alcohol Use
- Unhealthy Alcohol Use & Counseling
- AOD Initiation of Treatment 13+
- AOD Engagement 13+
- Initiation of Pharmacotherapy – OUD (13-17)
- Initiation of Pharmacotherapy – OUD (18+)
- OUD Treatment
- AUD Treatment
- Buprenorphine Prescription
- Naltrexone-Injectable Prescription
- Opioid and Benzo
- Opioid on Med List
- CTRL Substance Agreement (CNMP)

- Benzodiazepine Usage
- Benzodiazepine Dose > 3mg
- Hep C Lifetime Screen
- Hep C Screen – OUD

■ Registries

- Office Based Opioid Treatment
- Opioid Medication – Potential Misuse
- Methadone Medication
- Pain Management

■ Custom Dashboards


■ Custom Registries

- Opioid dependence with drug screen and bup


Understand the Population




Substance Use Overview for Your CHC



Substance Use Overview for Your CHC



Substance Use Overview for Your CHC



AUD Active Tx in Year

TY May 2019


18%

% AUD w/ Treatment




Alcohol Use by Gender

TY May 2019



Opioid Use by Gender

TY May 2019



AUD by Age

TY May 2019

Age	Denominator	% Total
20-34	45	19%
35-44	23	10%
45-64	129	54%
65 +	42	18%
Totals	239	

OUD by Age

TY May 2019


Age	Denominator	% Total
15-19	1	1%
20-34	67	47%
35-44	39	27%
45-64	34	24%
65 +	3	2%
Totals	144	

Even though one out of three drug users is a woman, only one out of five drug users in treatment is a woman



Early Intervention | Alcohol Screening

Unhealthy Alcohol Use: Screening (NQF 2152 Modified) i



Measure Documentation x

Unhealthy Alcohol Use: Screening (NQF 2152 Modified)
Preventive Care
 Endorser: NQF 2152

Patients aged 18 years and older who were screened for unhealthy alcohol use using a systematic screening method at least once within the last 24 months.

Numerator:
 Patients who were screened for unhealthy alcohol use using a systematic screening method at least once within the last 24 months.

- One of the following screenings for unhealthy alcohol use within 24 months of the end of the measurement period:
 - Alcohol Use Disorders Identification Test (AUDIT) Screening Instrument
 - AUDIT-C Screening Instrument
 - Single Question Screening - Question: How many times in the past year have you had
 - 5 or more drinks (for men)
 - 4 or more drinks (for women and all adults older than 65 years)

Denominator:
 All patients aged 18 years and older seen for at least two visits or at least one preventive visit during the measurement period.

- Age 19+ as of the end of the measurement period.
- Qualify encounter (technical specifications)
 - Two medical encounters in the measurement period OR
 - One preventive encounter in the measurement period.

Exclusions:
 NA

Exceptions:

- Limited life expectancy

[Specifications](#)

Internal Name: EP_2152_Modified

Early Intervention | Drug Screening


Drug Use Screening i

Period Type: Trailing Year |
 Period: TY May 2019 |
 Centers: Centers |
 Providers: Providers |
 Update

View: Measure Analyzer | Detail List | Value Sets | Create Target

TY 5/18 to TY 5/19 Trend

Group By: None



% Pts 18+ w/drug screen : 18%
 Pts w/ Drug Screening : 127,761
 Pts 18+ w/qualifying encounter : 728,630
 Pts w/ Limited life expectancy : 0

Drug Use Screening

Preventative Care

Endorser: NQF 2597 Modified

Patients aged 18 years and older who were screened for non-medical prescription drug use and illicit drug use using a systematic screening method at least once within the last 24 months.

Numerator:

Patients who were screened for non-medical prescription drug use and illicit drug use using a systematic screening method at least once within the last 24 months.

- One of the following screenings for drug use within 24 months of the end of the measurement period:

- Alcohol, Smoking and Substance Involvement Screening Test (ASSIST)
- CAGEAID
- CRAFFT
- Drug Abuse Screening Test (DAST)
- DAST-10
- Drug Use Disorders Identification Test (DUDIT)
- NIDA
- Single Question Screening -
Question: - In the past 12 months, did you smoke pot, use another street drug, or use a prescription painkiller, stimulant, or sedative for a non-medical reason?

Denominator:

All patients aged 18 years and older seen for at least two visits or at least one preventive visit during the measurement period.

- Age 19+ as of the end of the measurement period
- Qualify encounter (technical specifications)
 - Two medical encounters in the measurement period OR
 - One preventive encounter in the measurement period.

Exclusions:

Exceptions:


- Limited life expectancy

Internal Name: Azara_Drug_Use_Screening_1

Drug Screening | By Race

TY 1/19 to TY 5/19 Trend

Group By Race



- American Indian/Alaska Native
- Asian
- Black/African American
- Ignore
- More than One Race
- Native Hawaiian
- Pacific Islander
- Unmapped
- Unreported/Refused to Report Race
- White

Drug Use Screening

Preventative Care

Endorser: NQF 2597 Modified

Patients aged 18 years and older who were screened for non-medical prescription drug use and illicit drug use using a systematic screening method at least once within the last 24 months.

Numerator:

Patients who were screened for non-medical prescription drug use and illicit drug use using a systematic screening method at least once within the last 24 months.

- One of the following screenings for drug use within 24 months of the end of the measurement period:

- Alcohol, Smoking and Substance Involvement Screening Test (ASSIST)
- CAGEAID
- CRAFFT
- Drug Abuse Screening Test (DAST)
- DAST-10
- Drug Use Disorders Identification Test (DUDIT)
- NIDA
- Single Question Screening -
Question: - In the past 12 months, did you smoke pot, use another street drug, or use a prescription painkiller, stimulant, or sedative for a non-medical reason?

Denominator:

All patients aged 18 years and older seen for at least two visits or at least one preventive visit during the measurement period.

- Age 19+ as of the end of the measurement period
- Qualify encounter (technical specifications)
 - Two medical encounters in the measurement period OR
 - One preventive encounter in the measurement period.

Exclusions:

Exceptions:

- Limited life expectancy

Early Intervention | Chronic Pain

Registries - Pain Management ⓘ

Start Date: 05/23/2019 | End Date: 05/30/2019 | Centers: Centers | Providers: Providers | Period Tense: Period Tense | Update

View: Registry Value Sets

Center Name	Name	CNMP Last Assessment Date	CNMP Diagnosis Descr	CNMP Diagnosis Code	Cancer Diagnosis Date	Cancer Diagnosis Description	Cancer Diagnosis Code	PEG Completed Date
		2/13/2019	OTHER CHRONIC PAIN	G89.29				
		8/29/2017	OTHER CHRONIC PAIN	G89.29				
		5/23/2019	OTHER CHRONIC PAIN	G89.29	1/7/2019	MALIGNANT NEOPLASM OF UTERUS, PART UNSPECIFIED	179	
		10/24/2018	Other hammer toe(s) (acquired), left foot	M20.42				
		3/25/2019	OTHER CHRONIC PAIN	G89.29				
		3/20/2019	OTHER CHRONIC PAIN	G89.29				
		5/15/2019	OTHER CHRONIC PAIN	G89.29				
		5/23/2019	OTHER CHRONIC PAIN	G89.29				
		3/25/2019	OTHER CHRONIC PAIN	G89.29				
		4/23/2019	OTHER CHRONIC PAIN	G89.29				

Registry Documentation

The Pain Management registry provides a method to monitor all patients with a diagnosis of chronic pain.

Chronic pain is defined as having an active syndrome of chronic pain on the problem list or the same assessment diagnosis of pain more than once in the last 90 days.

Inclusion criteria:

- Patients of any age who have had a medical encounter (or pending appointment) in the specified time period.
- Patients with chronic pain syndrome on the problem list
 - Chronic pain due to trauma (G89.21)
 - Chronic pain syndrome (G89.4)
 - Chronic pain, not elsewhere classified (G89.2)
 - Chronic post-thoracotomy pain (G89.22)
 - Other chronic pain (G89.29)
 - Other chronic postprocedural pain (G89.28)

OR

- Patients with a diagnosis of chronic pain as an assessment ≥ 2 times and the duration between the earliest assessment and the most recent assessment is >90 days.

The registry provides recent visit data, chronic pain diagnosis criteria, opioid and alcohol disorder diagnosis and assessments, controlled substance agreement, key lab data and most recent primary care, behavioral health appointments, next appointment and referral to behavioral health.

All data shown will be the most recent values and dates collected, unless otherwise noted.

- Identify patients with CNMP and Drugs of Abuse Test
- Assess patients with concurrent conditions/medications
- Evaluate for needed screenings

Getting Started: Target Potential Misuse

Identify:

- Patients with an active opioid prescription and no stop date
- Patients with chronic opioid use and no OUD diagnosis
- Concurrent conditions and diagnoses, i.e. alcohol use disorder, positive PHQ-9 scores, tobacco use, chronic nonmalignant pain, etc.

Registries - Opioid Medication - Potential Misuse 📌 🔍 📄 ✉

Start Date: 05/23/2019 📅 End Date: 05/30/2019 📅 Centers: Centers Providers: Providers Period Tense: Period Tense 📄 🔄 Update

View: Registry Value Sets

Center Name	Name	Opioid Med Date	Opioid Med Stop Date	Opioid Med	CNMP Last Assessment Date	CNMP Diagnosis Descr	CNMP Diagnosis Code	Benzodiazepine Date
		12/30/2018	1/28/2019	oxycodone 10 mg tablet	5/2/2019	Low back pain	M54.5	
		9/20/2010		hydrocodone 5 mg-acetaminophen 500 mg capsule				
		5/5/2019	5/6/2019	hydrocodone 5 mg-acetaminophen 325 mg tablet				5/2/2019
		3/3/2019	4/4/2019	hydrocodone 5 mg-acetaminophen 325 mg tablet				5/19/2019
		6/12/2013		MULTIVITS,TH W-CA,FE,OTH MIN				8/7/2014

Managing Patients



MAT Program Management

- Identify patients for and manage MAT program
 - Active Patients (cohort)
 - Adherence
 - Continuity
- Track Controlled Substance Agreements
- Monitor adherence to workflows and treatment protocols
- Coordination with other services
 - Behavioral Health
 - Referrals
 - Primary Care
 - OB

Office Based Opioid Treatment

OBOT Registry provides a method to monitor patients in a MAT program using Buprenorphine, Naltrexone, or other opioid use treatment medications

Registries - Office Based Opioid Treatment ⓘ

Start Date: 05/23/2019 | End Date: 05/30/2019 | Centers: Centers | Providers: Providers | Period Tense: Period Tense | Update

View: Registry | Value Sets

Center Name	Name	Opioid Use Disorder Dx Date	Opioid Use Disorder Dx Code	Buprenorphine Date	Buprenorphine Stop Date	Buprenorphine Name	Vivitrol Date	Vivitrol Stop Date
		1/19/2017	F11.20	4/11/2019	5/11/2019	buprenorphine HCl		
		3/3/2017	F11.21	5/19/2017	5/6/2019	buprenorphine HCl/naloxone HCl		
		9/26/2016	F11.21	8/25/2016		Suboxone		
		1/25/2018	F11.20	12/6/2016		BUPRENORPHINE HCL/NALOXONE HCL		
		5/11/2019	F11.20	5/17/2019	6/16/2019	buprenorphine HCl/naloxone HCl		
		3/28/2019	F11.21	9/13/2016		Suboxone		
		2/5/2019	F11.90	5/16/2019	6/3/2019	buprenorphine HCl/naloxone HCl		

Office Based Opioid Treatment

OBOT Prescription Data

Registries - Office Based Opioid Treatment ⓘ

Start Date: 05/23/2019 | End Date: 05/30/2019 | Centers: Centers | Providers: Providers | Period Tense: Period Tense | Update

View: Registry | Value Sets

Center Name	Name	OBOT Rx Date	OBOT Rx Quantity	OBOT Rx Descr	OBOT Rx Refills	OBOT Rx Prescriber	late	Vivitrol Stop C
		2/15/2019	30.00	Suboxone 8/2 Sublingual Film	0	Rosa MD, Daniel		
		5/30/2019	75.00	Suboxone 8/2 Sublingual Film	0	Rosa MD, Daniel		
		5/6/2019	60.00	Suboxone 8/2 Sublingual Film	0	Gotay, ANA		
		5/6/2019	50.00	Suboxone 8/2 Sublingual Film	0	Gotay, ANA		

Registry Data Element Overview

- Standard Demographics + SDOH Triggers
- Visit information
 - Next visit, last primary care, BHS, OBOT visit(s), date, rendering provider, location, and visit type
 - ED visits
 - Pain clinic visit date
 - Referral to Behavioral Health
- Medication (Prescription data in progress)
 - Start/end date for ETOH misuse, OBOT (opioid misuse), active benzo, gabapentin, methadone
 - Narcan (Med and date last prescribed)
 - Narcan last used
 - Prescription Drug Monitoring Program (PDMP)
- Labs
 - Urine tox screen results
 - Buprenorphine Lab - (Urine/oral swab –y/n or level)
 - Medication Assisted Therapy (MAT) screen
- Assessments
 - OBOT Assessment and date
 - Treatment start date (here or elsewhere)
 - Tobacco use
 - Anxiety – GAD
 - Depression – PHQ 2 and 9
 - ETOH Assessment/date
 - Drug Use Assessment
 - Screener and Opioid Assessment for Patients with Pain Revised (SOAAP-R)
 - Clinical Opioid Withdrawal Scale (COWS)
 - Current Opioid Misuse (COMM)
 - Opioid Risk Tool (ORT)
 - Screen for Adult Anxiety Related Disorder (SCARRED)
 - Drug Use Status
 - Pill count (? adherence)
 - Overdose date
- CTRL Substance Use agreement and consent for treatment
- OBOT program status, start date, update date

Methadone Medication

Track your patients with an active methadone prescription in the last 12 months.

Registries - Methadone Medication ⓘ

☆ 📄 📧


Start Date: 05/23/2019 | End Date: 05/30/2019 | Centers: Centers | Providers: Providers | Period Tense: Period Tense | Update

View: Registry Value Sets

Center Name	Name	CTRL Substance Agreement	Methadone Med Date	Methadone Med Stop Date	Methadone Med Name	CNMP Last Assessment Date	CNMP Diagnosis Descr
			1/23/2018		Methadone HCl		
			5/28/2019		Methadone HCl		
			6/11/2018		Methadone		
			5/16/2019	12/31/4700	METHADONE HCL		
			3/20/2019		Methadone HCl		
			5/28/2019		Methadone		
			3/17/2017		Methadone		
			4/12/2019		Methadone		
			9/28/2015		Methadone		
			5/20/2019		methadone HCl		

Controlled Substance Agreement

- Monitor how many patients have a controlled substance agreement signed in the previous 12 months.
- Also available on registry



Registries - Office Based Opioid Treatment

Start Date: 05/23/2019 | End Date: 05/30/2019 | Centers: Centers | Providers: Providers | Period Tense: Period Tense | Update

View: Registry | Value Sets

Center Name	Name	CTRL Substance Agreement	Opioid Use Disorder Dx Date
			5/13/2
			11/26/2
		2/27/2019	1/3/2
			12/13/2
			2/6/2
			5/22/2
			11/7/2
			11/7/2

Cohorts | Active Buprenorphine Prescription

- Patients with a buprenorphine prescription
 - Office Based Opioid Treatment Registry
 - Set date filter to 6 months
 - Filter out blanks from Buprenorphine date column

Create Cohort

Name & describe the Cohort so it is clear to other users in your center what it is

Name

Pts w/ Buprenorphine Prescription

Description

Patients with a visit between 12/3/2018 to 6/3/2019 with an active prescription for Buprenorphine

Create Cohort

Buprenorphine Date		
5/31/2019		
5/31/2019		
5/31/2019		
5/30/2019		
5/30/2019		
5/30/2019		
5/30/2019		
5/30/2019		
5/30/2019		
5/29/2019		12/31/4700
5/29/2019		12/31/4700
5/29/2019		12/31/4700
5/29/2019		12/31/4700

Clear Filter

Date Filters

Search

- 5/24/2019
- 5/28/2019
- 5/29/2019
- 5/30/2019
- 5/31/2019
- (Blanks)

OK Cancel

Point of Care Tools

- Alerts for Controlled Substance Agreement and Screenings
- Diagnoses and Risk Factors on Patient Visit Planning Report
 - Diagnosis
 - Chronic Non Malignant Pain
 - HIV

- Risk Factors
 - HDU (Hard Drug User/Illicit Drug Use Disorder)
 - SUD (Substance Use Disorder)
 - COT (Chronic Opioid Therapy)
 - SMI

Alert Administration i



Additional Actions

<input type="checkbox"/>	Category ▼	Alert Name ▼	PVP Display Name ▼	Status ▼	Description ▼	Last Updated ▼	Options
<input type="checkbox"/>	Other	Controlled Substance Agreement	Ctrl Sub	Disabled	Alert will trigger if Control Substance Agreement has not occurred in the last 1 years. Patient must have Long term (current) use of opiate analgesic (Z79.891) or Chronic Non-malignant Pain. Patient must not have Palliative Care or Hospice Care.	06/15/2018	

Diagnoses (2)	
Essential Hypertensi	HyLip

Risk Factors (3)		
HDU	SMI	SUD


SDOH (0)

Alert	Message	Most Recent Date	Most Recent Result
LDL Dental	Overdue Missing	8/5/2017	96

Open Referral w/o Result	Specialist/Location	Ordered Date	Appt. Date
ORTHOPEDECS CONSULTATION	/ Crystal Run Orthopedics Blooming Grove Tpke	5/23/2019	
ORTHOPEDECS CONSULTATION	/ Crystal Run Orthopedics Blooming Grove Tpke	1/23/2019	

Tracking Care

- Clinical Care
 - HIV
 - HEP C
 - STI
- Encounter Registry
 - BH appointment
 - Pregnancy
 - HIV Hep C
 - Dental
- Referrals and No Shows
- Special Populations
 - OB and OUD
 - Dental and OUD



Custom Registry for OUD Coordination

Registries - CHCANYS - OUD Coordination i

Start Date

05/28/2019

View:

Registry

Value Set

Registry Documentation

Identifies patients with a diagnosis of OUD and their appts.

Inclusion Criteria: Patient

Data Elements: BH, Dental, Primary Care Appointments and Pregnancy

LK 6.4.19

28	4/10/2018	191820008	9/25/2018	Z34.93	6/4/2019	Unassigned Provider	06/04/2019 13:15	Unassigned Provider
28	6/8/2018	75544000	6/27/2018	314204000	6/4/2019	Reddy, Allareddy	06/04/2019 15:30	Reddy, Allareddy
57	6/22/2017	1081000119105			6/4/2019	Unassigned Provider	06/04/2019 11:00	Unassigned Provider
54	1/24/2017	1081000119105			6/28/2019	Banez MD, Ferdinand	06/28/2019 11:15	Banez MD, Ferdinand
66	12/4/2018	1081000119105			6/26/2019	Antwi, Flora	06/26/2019 10:30	Antwi, Flora
53	3/20/2018	1081000119105						
61	10/5/2018	1081000119105			6/10/2019	Unassigned Provider	06/10/2019 12:00	Unassigned Provider

Name

City

State

Phone Number

Opioid Abuse Disorder

Pregnancy

Next Appointment

Next Appointment Time

Primary Care Encounter

Referral to Behavioral Health

Behavioral Health Encounter

Dental Visit

E/D Episode

E/D Episode HIE/Claim D/C

I/P Episode

I/P Episode HIE Claim D/C

- Use cohorts to filter measures and registries to defined patient populations
- Use cohorts
 - For tracking
 - For improvement
 - Program management



Cohorts | Patients Requiring Follow Up

- Patients potentially falling out of touch
 - Office Based Opioid Treatment Registry
 - Set date filter to 6 months
 - Active Buprenorphine treatment
 - No Next Appointment or Stop Date



Create Cohort ✕

Name & describe the Cohort so it is clear to other users in your center what it is

Name

Description

[Create Cohort](#)

Cohorts | At Risk Patients







- Patients with multiple risk factors for opioid abuse
 - Opioid Medication – Potential Misuse Registry
 - Set date filter to 6 months
 - Filter to patients with a positive drug abuse or alcohol assessment result
 - Filter to patients with a positive PHQ-2 or PHQ-9 score



Drugs of Abuse Test Date	Drugs of Abuse Test And Result	Most Recent Positive Drugs of Abuse Test	Alcohol Disorder Dx Date	Alcohol Disorder Dx Description	Alcohol Disorder Dx Code
11/26/2018	Benzodiazepines - Negative	THC - 11/26/2018			
5/16/2019	Opiates - Negative	THC - 11/21/2018			
5/20/2019	Phencyclidine - Negative	THC - 11/12/2018			
5/29/2019	Opiates - Negative	THC - 09/26/2018, Cocaine - 09/17/2018	9/11/2018	ALCOHOL ABUSE, UNCOMPLICATED	F10.10
6/7/2018	Amphetamines - Negative	THC - 06/07/2018			
5/31/2019	Amphetamines - Negative	THC - 05/31/2019			
5/30/2019	Amphetamines - Negative	THC - 05/30/2019, Benzodiazepines - 05/30/2019, Opiates - 03/26/2019, Cocaine - 09/11/2018			
5/29/2019	Ethanol - Negative	THC - 05/29/2019			
5/24/2019	Amphetamines - Negative	THC - 05/24/2019, Benzodiazepines - 05/24/2019, Opiates - 04/19/2018			
5/23/2019	Cocaine Scrn - Negative	THC - 05/23/2019, Opiates - 07/20/2018			

ODU Patients with Referrals

Period Type: Trailing Year |
 Period: TY May 2019 |
 Centers: |
 Providers: Providers |
 Cohort: ODU Pts as of 6... ▼
▼
Update



Open Referrals By Location

Location - Rendering	Numerator	% Total
Casa Maria Community Health Center	8	5%
Claremont Health Center	16	11%
Clay Ave Health Center	63	42%
Ramon Velez	22	15%
United Bronx Parents	13	9%
Westchester Ave-Non FQHC	28	19%

Open Referrals By Provider

Provider - Rendering	Num
Ab...	1
Ali...	2
An...	1
Ba...	20
Bu...	1
Ch...	19
De...	1

ODD Patients with Referrals

Period Type: Trailing Year | Period: TY May 2019 | Centers: | Providers: Providers | Referral Type: ACCUPUNCTU... | Cohort: OUD Pts as of 6... | Update

Search: Clear Filter

- ABI
- ABI and arterial ultrasou
- ABI/VASC ULTRASOUND DOSIH
- ACCUPUNCTURE
- Acupuncture
- addiction management
- Addiction Medicine
- addiction medicine, subox
- Addiction/Internal Medici
- ADHC program
- adherence and risk reduct
- adherence HIV medication
- Adolescent Medicine

% Open Referrals
100%

% Completed Referrals

% Deleted Referrals
0%

Stat Referrals Open > 7 Days
0
Stat Referrals Open > 7 days

Total Completed Referrals

Period	Total Completed Referrals
TY 11/18	0
TY 12/18	0
TY 1/19	0
TY 2/19	0
TY 3/19	0
TY 4/19	0
TY 5/19	0

Referrals By Location

Rendering	Numerator	% Total
ve-Non FQHC	3	100%
	3	

Open Referrals By Provider

Provider - Rendering	Nu
La	

Urgent Referrals Open > 14 Days
0
Urgent Referrals Open > 14 days




Performance Improvement Reporting

How are you doing?



Dashboards - CHCANYS - OBAT Program ?

Period: May 2019 Centers: Acacia Network Providers: Providers Update



Controlled Substance Report

Controlled Substance - Controlled Substance i

























42CFR

Period Type: Month |
 Period: May 2019 |
 Centers: Community... |
 Providers: Providers |
 Baseline Period: December 2018

Update

		Measure	Target	Result	Change	Numerator	Denominator	Exclusions
i		Drug Use Screening	● 50.0%	94.7%	+0.3%	6,293	6,646	0
i		Unhealthy Alcohol Use: Screening (NQF 2152 Modified)		0.1%	-0.1%	4	6,646	0
i		Unhealthy Alcohol Use: Screening & Brief Counseling (NQF 2152)		0.0%	-0.2%	3	6,646	0
i		Initiation of AOD Treatment 13+ Years Old (NQF 0004)		45.8%	+7.4%	27	59	621
i		Engagement of AOD Treatment 13+ Years Old (NQF 0004)		22.0%	+3.8%	13	59	621
i		Initiation of Pharmacotherapy Upon New Episode of Opioid Dependence (13-17 Years)		0.0%	0.0%	0	0	0
i		Initiation of Pharmacotherapy Upon New Episode of Opioid Dependence (18+ Years)		48.1%	-1.9%	137	285	0

Controlled Substance (continued)

		Measure	Target	Result	Change	Numerator	Denominator	Exclusions
		Opioid Use Disorder Treatment (OUD)		83.1%	-0.2% ↓	673	810	0
		Alcohol Use Disorder Treatment (AUD)		31.4%	-0.2% ↓	186	592	0
		Buprenorphine Prescription		5.1%	+0.3% ↑	570	11,242	0
		Naltrexone-Injectable Prescription		0.1%	0.0%	13	11,242	0
		Opioid and Benzodiazepine		1.1%	0.0%	120	11,242	0
		Opioid on Med List		3.9%	-0.2% ↓	438	11,242	0
		Benzodiazepine Usage		8.8%	-0.4% ↓	989	11,242	0
		Benzodiazepine Dose > 3mg		11.6%	-0.8% ↓	115	989	0
		Controlled Substance Agreement w/Chronic Non Malignant Pain		0.0%	0.0%	0	699	0
		Hepatitis C Lifetime Screening		40.0%	+40.0% ↑	3,576	8,943	1
		Hepatitis C Screening After Opioid Use Disorder Diagnosis		59.9%	+59.9% ↑	338	564	0

What's on the Horizon for Substance Use

- New Measures
 - Naloxone Prescription with Opioid Use Disorder
 - Continuity of Pharmacotherapy for Opioid Use Disorder (NQF 3175)
 - Medication-Assisted Therapy prescribed for OUD by Provider Report
 - Naloxone Prescription with Chronic Opioid Therapy
 - Controlled Substance Agreement with Chronic Opioid Therapy
- Prescription Data
 - Added to OBOT registry and soon for Misuse Registry
 - Capture last PDMP date

Questions?



Measures – Substance Disorder and Rx (5)

Alcohol Use Disorder Treatment (AUD)

Patients with an active medication for alcohol use disorder (AUD) during the reporting period.

Opioid Use Disorder Treatment (OUD)

Patients with an active medication for opioid use disorder (OUD) during the reporting period.

Buprenorphine Prescription

Patients with at least one active Buprenorphine medication during the reporting period.

Naltrexone-Injectable Prescription

Patients with at least one active Naltrexone-Injectable medication provided during the reporting period.

Controlled Substance Agreement (CNMP)*

Patients with CNMP who have signed a controlled substance agreement in the last 12 months.

Measures – Medication Management (4)

Opioid on Med List

Patients with an active opioid medication on medication list during the reporting period.

Benzodiazepine Usage

Patients with an active benzodiazepine during the reporting period.

Benzodiazepine Dose >3mg

Patients on a benzodiazepine dose > 3mg

Opioid and Benzodiazepine

Patients with both an active Opioid and an active Benzodiazepine at the same time during the reporting period.

Initiation and Engagement in Treatment (6)

Initiation of AOD Treatment 13+ Years Old* (NQF 0004)

Patients with a new episode of alcohol and other drug (AOD) dependence who initiated treatment within 14 days of the diagnosis.

Engagement of AOD Treatment 13+ Years Old* (NQF 0004)

Patients with a new episode of alcohol and other drug (AOD) dependence who initiated treatment and who had two or more additional services with an AOD diagnosis within 30 days of the initiation visit.

Initiation of Pharmacotherapy Upon New Episode of Opioid Dependence (13-17 and 18+ Years)

Patients who initiate pharmacotherapy with at least 1 prescription for opioid treatment medication within 30 days following a diagnosis of opioid dependence (OUD).

* Filters can be used to see results for different age ranges.

Prevention/Screening (5)

Unhealthy Alcohol Use: Screening & Brief Counseling (NQF 2152)

Patients aged 18 years and older who were screened for unhealthy alcohol use, at least once within the last 24 months AND received brief counseling if identified as an unhealthy alcohol user.

Unhealthy Alcohol Use: Screening (NQF 2152 Modified)

Patients aged 18 years and older who were screened for unhealthy alcohol use using a systematic screening method at least once in the last 24 months.

Drug Use Component (nonmedical prescription drug use and illicit drug use)

Patients who were screened for nonmedical prescription drug use and illicit drug use at least once within the last 24 months using a systematic screening method.

Hepatitis C Lifetime Screening

Patients aged 12+ who had at least one Hepatitis C screening in their lifetime.

Hepatitis C Screening After Opioid Use Disorder Diagnosis

Patients aged 12+ who had at least one Hepatitis C screening on or after an Opioid Use Disorder (OUD) Dx.